





Alibaba

Wechat

WhatsApp

QINGDAO FACTORY CONTACT:

Email:vivian@kingiso.com

Mob: 0086 18661846170 Web:www.kingiso.com

WhatsApp:0086 18661846170

Add:12A04-2, Building A, Nuode Plaza, Shibei District, Qingdao City, Shandong Province, China

FOSHAN FACTORY CONTACT:

Mob:0086 13169963909

Add: No.22-5, Industrial Zone Road, Xichong Village, Lunjiao Street, Shunde District, Foshan City, Guangdong Province, China



One-stop solution for furniture manufacturing



QINGDAO WEICHANG INDUSTRY AND TRADE CO.,LTD.

www.kingiso.com


||||||||||| Qingdao Weichang Industry Δnd Trade Co., Ltd.

AY214x8/5(3)HRC-B1

W Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.



机器细节・Details









Intelligent temperature control, hot pressing molding



Hydraulic pump



The frame of machine





机器参数·Parameters

智能温控热压成型•

Model	AY214×8/5(3)HRC-B1	Model	AY214×8/5(3)HRC-B1
Working pressure	500kn	Heat plate spacing	100mm
Number of hot plates	4-2500*1300*42mm	Rated oil pressure	26MPA
Unit surface pressure	1.53KGF/m2	Cylinder stroke	300mm
Number and diameter of cylinders	4pcs/100mm	Installed power	Hydraulic power 7.5 kw /
Closing speed	40mm/s		heating power 36kw / heat conduction oil pump 1.5kw
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1500*2050mm
Working layers	3	Weight	7000kg



AY214x8/5(5)HRC-B1

Hot press machine

A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.



机器细节・Details







热压板 Heating platen



液压泵 Hydraulic pump



链条传动 Chain drive



智能温控热压成型•

Intelligent temperature control, hot pressing molding

Model	AY214×8/5(5)HRC-B1	Model	AY214×8/5(5)HRC-B1
Working pressure	500kn	Heat plate spacing	100mm
Number of hot plates	6-2500*1300*42mm	Rated oil pressure	26MPA
Unit surface pressure	1.53KGF/m2	Cylinder stroke	500mm
Number and diameter of cylinders	4pcs/100mm	Installed power	Hydraulic power 7.5 kw /
Closing speed	40mm/s		heating power 54kw / heat conduction oil pump 2.2kw
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1500*2350mm
Working layers	5	Weight	10000kg





AY214x8/5(6)HRC-B1

/// Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.



机器细节・Details







Heating pipe



Hydraulic pump



链条传动 Chain drive





智能温控热压成型•

Intelligent temperature control, hot pressing molding





Model	AY214×8/5(6)HRC-B1	Model	AY214×8/5(6)HRC-B1
Working pressure	500kn	Heat plate spacing	80mm
Number of hot plates	7-2500*1300*42mm	Rated oil pressure	26MPA
Unit surface pressure	1.53KGF/m2	Cylinder stroke	500mm
Number and diameter of cylinders	4pcs/100mm	Installed power	Hydraulic power 7.5 kw /
Closing speed	40mm/s		heating power 54kw / heat conduction oil pump 2.2kw
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1500*2390mm
Working layers	6	Weight	11000kg



/// Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.



机器细节・Details







Heating pipe



Hydraulic pump



链条传动 Chain drive





智能温控热压成型•

Intelligent temperature control, hot pressing molding





Model	AY214×8/5(8)HRC-B1	Model	AY214×8/5(8)HRC-B1
Working pressure	500kn	Heat plate spacing	70mm
Number of hot plates	9-2500*1300*42mm	Rated oil pressure	26MPA
Unit surface pressure	1.53KGF/m2	Cylinder stroke	560mm
Number and diameter of cylinders	4pcs/100mm	Installed power	Hydraulic power 7.5 kw / heating power 81kw / heat conduction oil pump 3kw
Closing speed	40mm/s		
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1500*2460mm
Working layers	8	Weight	12000kg

AY214x8/10(1)HRC-B1

Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.




机器细节・Details











Hydraulic pump



链条传动 Chain drive



智能温控热压成型•

Intelligent temperature control, hot pressing molding





Model	AY214×8/10(1)HRC-B1	Model	AY214×8/10(1)HRC-B1
Working pressure	1000kn	Heat plate spacing	100mm
Number of hot plates	2-2500*1300*42mm	Rated oil pressure	25MPA
Unit surface pressure	3.07KGF/m2	Cylinder stroke	100mm
Number and diameter of cylinders	6pcs/85mm	Installed power	Hydraulic power 7.5 kw /
Closing speed	40mm/s		heating power 24kw / heat conduction oil pump 1.5kw
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1500*1800mm
Working layers	1	Weight	5500kg





AY214x8/10(3)HRC-B1

Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.




机器细节・Details







热压板 Heating platen



加热管 Heating pipe



链条传动 Chain drive





Intelligent temperature control, hot pressing molding





Model	AY214×8/10(3)HRC-B1	Model	AY214×8/10(3)HRC-B1
Working pressure	1000kn	Heat plate spacing	100mm
Number of hot plates	4-2500*1300*42mm	Rated oil pressure	26MPA
Unit surface pressure	3.07KGF/m2	Cylinder stroke	300mm
Number and diameter of cylinders	6pcs/100mm	Installed power	Hydraulic power 7.5 kw / heating power 36kw / heat conduction oil pump 1.5kw
Closing speed	40mm/s		
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1500*2050mm
Working layers	3	Weight	7000kg

Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.



机器细节・Details







热压板 Heating platen



加热管 Heating pipe



链条传动 Chain drive





智能温控热压成型•

Intelligent temperature control, hot pressing molding





Model	AY214×8/12(3)HRC-B1	Model	AY214×8/12(3)HRC-B1
Working pressure	1200kn	Heat plate spacing	100mm
Number of hot plates	4-2500*1300*42mm	Rated oil pressure	25MPA
Unit surface pressure	3.69KGF/m2	Cylinder stroke	300mm
Number and diameter of cylinders	6pcs/100mm	Installed power	Hydraulic power 7.5 kw / heating power 36kw / heat conduction oil pump 1.5kw
Closing speed	40mm/s		
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1600*2100mm
Working layers	3	Weight	7400kg



AY214x8/16(3)HRC-B1

// Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.




机器细节·Details







热压板 Heating platen



Hydraulic pump



链条传动 Chain drive



智能温控热压成型•

Intelligent temperature control, hot pressing molding





Model	AY214×8/16(3)HRC-B1	Model	AY214×8/16(3)HRC-B1
Working pressure	1600kn	Heat plate spacing	100mm
Number of hot plates	4-2500*1300*42mm	Rated oil pressure	25MPA
Unit surface pressure	4.92KGF/m2	Cylinder stroke	300mm
Number and diameter of cylinders	8pcs/100mm	Installed power	Hydraulic power 7.5 kw /
Closing speed	40mm/s		heating power 36kw / heat conduction oil pump 1.5kw
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1600*2100mm
Working layers	3	Weight	7600kg

AY214x8/16(5)HRC-B1

/// Hot press machine


A 热压机适用于家具厂或板材装饰厂,可对板材进行层压,如木门、芯板、中密度纤维板、胶合板、刨花板与各种装饰纸HPL或单板。也可用于单板的干燥或找平。

Hot press is fit for the furniture factory or panel decorative plant, which can make lamination for panel, such as wooden door, core board, MDF, Plywood, chipboard with all kinds of decorative paper HPL or veneer. It can also be used for drying or leveling veneer.



机器细节・Details







Heating platen



Hydraulic pump



The frame of machine



智能温控热压成型•

Intelligent temperature control, hot pressing molding





Model	AY214×8/16(5)HRC-B1	Model	AY214×8/16(5)HRC-B1
Working pressure	1600kn	Heat plate spacing	100mm
Number of hot plates	6-2500*1300*42mm	Rated oil pressure	26MPA
Unit surface pressure	4.92KGF/m2	Cylinder stroke	500mm
Number and diameter of cylinders	8pcs/100mm	Installed power	Hydraulic power 7.5 kw / heating power 54kw / heat conduction oil pump 2.2kw
Closing speed	40mm/s		
Heating method and medium	Electric heating heat transfer oil	Maximum temperature	200℃
Platen opening way	Electric	Overall dimension	3800*1600*2350mm
Working layers	5	Weight	10000kg

MH3248x50 冷压机

Cold press machine

本机适用于平板木制品的跟踪粘接预成型。压制质量好,速度快,效率高。广泛应用于家具制造和钣金生产行业。

This machine is suitable for tracking the bonding and pre-forming of flat wood products. It has good pressing quality, high speed and high efficiency. It is widely used in furniture manufacturing and sheet metal production industry.



机器细节・Details








控制面板 Control panel



一体式油缸 Integrated oil cylinder



独立电控箱
Independent electric control box



冷压质量好,效率高·

Good cold pressing quality, high efficiency





工厂图片·Factory



MH3248*50
500kn
2500*1250mm
1.54kgf/cm²
2 pieces/125mm
4kw
12mm/s
1000mm
16Мра
3000*1300*2250mm
2000kg






MH3248X80 冷压机

Cold press machine

本机适用于平板木制品的跟踪粘接预成型。压制质量好,速度快,效率高。广泛应用于家具制造和钣金生产行业。

This machine is suitable for tracking the bonding and pre-forming of flat wood products. It has good pressing quality, high speed and high efficiency. It is widely used in furniture manufacturing and sheet metal production industry.



机器细节·Details







压力可调 Adjustable pressure



一体式油缸 Integrated oil cylinder



独立电控箱
Independent electric control box







工厂图片・Factory



Model	MH3248*80
Max.pressure	800kn
Platen size	2500*1250mm
Unit surface pressure	2.46kgf/cm²
The number and diameter of the main oil cylinder	4 pieces/125mm
Hydraulic power	5.5kw
Closing speed	12mm/s
Spacing	1000mm
Rated oil pressure	16Мра
Dimensions	3000*1300*2250mm
Weight	2300kg

Cold press machine

本机适用于平板木制品的跟踪粘接预成型。压制质量好,速度快,效率高。广泛应用于家具制造和钣金生产行业。

This machine is suitable for tracking the bonding and pre-forming of flat wood products. It has good pressing quality, high speed and high efficiency. It is widely used in furniture manufacturing and sheet metal production industry.



机器细节·Details







压力可调 Adjustable pressure



一体式油缸 Integrated oil cylinder



NO.4 独立电控箱 Independent electric control box







工厂图片·Factory



Model	MH3248*100
Max.pressure	1000kn
Platen size	2500*1250mm
Unit surface pressure	3.07kgf/cm²
The number and diameter of the main oil cylinder	4 pieces/125mm
Hydraulic power	5.5kw
Closing speed	12mm/s
Spacing	1000mm
Rated oil pressure	16Мра
Dimensions	3000*1300*2250mm
Weight	2500kg



Cold press machine

本机适用于平板木制品的跟踪粘接预成型。压制质量好,速度快,效率高。广泛应用于家具制造和钣金生产行业。

This machine is suitable for tracking the bonding and pre-forming of flat wood products. It has good pressing quality, high speed and high efficiency. It is widely used in furniture manufacturing and sheet metal production industry.



机器细节·Details







工作台高度方便操作 Workbench height for easy operation



一体式油缸 Integrated oil cylinder



NO.4 独立电控箱 Independent electric control box



冷压质量好,效率高•

Good cold pressing quality, high efficiency





工厂图片・Factory




Model	MH3259*100
Max.pressure	1000kn
Platen size	2800*1500mm
Unit surface pressure	2.3kgf/cm²
The number and diameter of the main oil cylinder	4 pieces/125mm
Hydraulic power	5.5kw
Closing speed	12mm/s
Spacing	1000mm
Rated oil pressure	16Мра
Dimensions	3300*1550*2480mm
Weight	2800kg



Cold press machine

本机适用于平板木制品的跟踪粘接预成型。压制质量好,速度快,效率高。广泛应用于家具制造和钣金生产行业。

This machine is suitable for tracking the bonding and pre-forming of flat wood products. It has good pressing quality, high speed and high efficiency. It is widely used in furniture manufacturing and sheet metal production industry.



机器细节・Details







工作台高度方便操作 No.2
Workbench height for easy operation



一体式油缸 Integrated oil cylinder



快速高效压紧
Fast and efficient pressing







工厂图片·Factory



Model	MH3259*200
Max.pressure	2000kn
Platen size	2800*1500mm
Unit surface pressure	4.6kgf/cm²
The number and diameter of the main oil cylinder	4 pieces/160mm
Hydraulic power	7.5kw
Closing speed	12mm/s
Spacing	1000mm
Rated oil pressure	16Мра
Dimensions	3300*1550*2480mm
Weight	4800kg

MH3248x25Tx3 液压式三段冷压机

Hydraulic three stage cold pressing machine

本机适用于平板木制品的跟踪粘接预成型。压制质量好,速度快,效率高。广泛应用于家具制造和钣金生产行业。

This machine is suitable for tracking the bonding and pre-forming of flat wood products. It has good pressing quality, high speed and high efficiency. It is widely used in furniture manufacturing and sheet metal production industry.



机器细节·Details







工作台高度方便操作 Workbench height for easy operation



一体式油缸 Integrated oil cylinder



NO.4 快速高效压紧 Fast and efficient pressing



冷压质量好,效率高•

Good cold pressing quality, high efficiency





工厂图片・Factory



Model	MH3248*25T*3
Working table size	1250*2500
Max.pressure	25t*3
Max platen opening	1000/1300/1500mm(optional)
Oil cylinder	Φ125mm*3pcs
Hydraulic pump power	5.5kw
Overall dimensions	3110*1250*3000mm
Net weight(about)	2650kg

